

# MicroFlow I Ductless Workstation

The MicroFlow I Workstation is ideal for: A Class 1 ductless hood workstation. Activated Carbon Filtration for fumes, odors, and non-hazardous chemical vapors, pre-filter for particulate.




- Completely self contained with clear hood surround with safety viewing sash for user.
- Integral work surface dished to contain spills.
- Variable speed fan control. High speed 100fpm to Low speed minimum air flow for sensitive operations.
- Operates on 115V AC / 60Hz, or 230V AC / 50Hz International, Conforms to UL, CSA, & CE requirements.
- 6' Electrical cord connects and disconnects at left rear side exits left side.

## Typical Applications:

- General chemistry involving small volumes of common chemicals, Individual Work stations
- Tissue staining and processing
- Gluing & Drying operations
- Solvent cleaning of electronic parts
- Soldering fumes and odors
- School demonstration workstations
- Containment of Forensic applications

 Rule: hazardous chemicals require use of gloves & safety glasses




Easy replacement of carbon filter & pre-filter on Micro Flow I

## Specifications:

1. MicroFlow I Ductless Workstation Model # 54010
2. Replacement Carbon Filter Model # 52002
3. Replacement Pre-Filter Model # 54011

Visit [www.HEMCOcorp.com](http://www.HEMCOcorp.com)



HEMCO Corporation  
711 S. Powell Road  
Independence, MO 64056

**HEMCO**  
Lab Planning Solutions

Phone (816) 796-2900  
Fax (816) 796-3333  
MFI-04.18